## EAST RIVER YARD - STUDWOOD

## EFFECTIVE DATE: September 16<sup>th</sup>, 2013 weight scale

GRADE 18	(8-foot)
SPECIES	100% Spruce only
AGE	Delivered within 3 months of date cut (live trees at time of cut)
LENGTH	100" to 106"
DIAMETER	5.0" minimum to 15" maximum (inside bark measurements)
DEFECTS	No rot, no forked bolts, ends cut square  Taper or sweep must be less than 1.5" over the length of the bolt  Knots: no knots over 3" diameter and not more than 12 knots (1" to 3" diameter) in any 4' section.

## EAST RIVER YARD - PULPWOOD

GRADE 2	(KP - Kraft Pulpwood)
SPECIES	Spruce/fir/jack pine mix. No limit on content of spruce, fir or jack pine. Mixed species loads may contain up to 10% (maximum) white pine, red pine, hemlock, and/or tamarack (i.e., eastern larch) content.
AGE	Delivered within 6 months of date cut
LENGTH	8-foot (96" to 106").
DIAMETER	3" minimum to 11" maximum.
DEFECTS	Not more than 5% rot per load. Individual pieces cannot have more than 50% of their volume in rot or defects.
	No forked pieces or excessively crooked pieces (crooked enough to exceed the 11" diameter limit to feed the chipper)

NOTE:	Loads containing unacceptable wood (or non-wood debris) will be rejected at the discretion of the JDI Wood Buyer or scale staff at East River yard.
	the discretion of the 3D1 wood Buyer of scale staff at East River yard.

The trucker or producer must notify the JDI Wood Buyer of any disputes regarding scale or grade at the time of delivery, or within 24 hours of delivery. Disputed loads or quality sample results shall be held by JDI for 24 hours to allow inspection. These specifications are subject to change by JDI with minimum notice.

Signed: \_

Brent Thompson

Date: Spt. 16/13